### Appendix 2 ORIGINAL

### **TABLE A**

## NOTIFICATION AND WRITTEN CONSENT OF FILING BASED ON THE MOTORCYCLE -FOUR -STROKE CYCLE GASOLINE ENGINE OILS (JASO T 903:2011)

### [NOTIFICATION OF FILING]

To: Paras Lubricants Limited	DATE: 12th October 2016
	From : The JASO Engine Oil Standards
	Implementation Panelがある。
As shown below, we have filed the motorcy	ycle four-cycle oil with the oil code reference number and
performance class indicated below, and he	reby inform you as follows:
Receipt no.:	M16082906
Product name or no.:	PALCO SOLITAIRE-20W40
Trade name:	PALCO SOLITAIRE-20W40
Viscosity grade:	20W40
Oil code reference no.:	M091PLL218
Performance class:	JASO MA2

#### ORIGINAL

TABLE B

# NOTIFICATION AND WRITTEN CONSENT OF FILING BASED ON THE MOTORCYCLE –FOUR –STROKE CYCLE GASOLINE ENGINE OILS (JASO T 903:2011) [WRITTEN CONSENT OF FILING]

TO: The JASO Engine Cycle Oil Standards Implementation Panel

Regarding the marketing of a motorcycle four-cycle oil filed by the JASO Engine Oil Standards Implementation Panel (the "Panel"), we hereby agree to the following items:

- 1. We shall be liable for and guarantee the quality and performance of the motorcycle four-cycle oil concerned as well as the labelling thereof.
- 2. We shall resolve, by ourselves, any problems associated with the use of the motorcycle fourcycle oil concerned in the market, and we agree that the Panel will not be held responsible in any way.

- 3. We hereby guarantee that the quality and performance described in the notification documents submitted for filing are data representing the physicochemical properties and performance of the motorcycle four-cycle oil that will be actually marketed. Also the description of quality and performance being submitted is representative of that which will be used.
- 4. We will widely publicize and educate consumers through our sales channels that the quality and performance of the motorcycle four-cycle oil and its description being submitted for filing have been classified and guaranteed on our own accountability.
- 5. We shall not use in our advertisement any expression that may lead to the misunderstanding that the Panel has approved or certified the performance of the motorcycle four-cycle oil concerned.
- 6. Upon receipt of a request from the Panel, we shall submit the original friction test results under JASO T 903:2011 without delay.
- 7. We will approve that the Panel may disclose oil code reference number, submitter name, product name and performance class, through communication media including internet, newspapers, magazines, and other publications. Further, where marked survey is conducted by the Panel, we will approve that the Panel may disclose the results of the market survey in a form whereby the name of the submitter and the oils are not identifiable.
- 8. When the marketing of the motorcycle four-cycle oil concerned is discontinued, we will immediately notify the Panel that the filing should be cancelled.
- 9. In addition to the above, we hereby acknowledge that we have understood all contents of the Motorcycles Four Stroke Cycle Engine Oils (JASO T 903:2011) Implementation Manual and we hereby agree to abide by them in all respects.

Date:	12 <sup>th</sup> August, 2016
Company:	PARAS LUBRICANTS LIMITED
Responsible P	Person: MR. SUSHANT BANSAL
Tile:	DIRECTOR
For F	PARAS LUBRICANTS LIMITED
Signature:	N CAPT
<b>J</b>	SUSHANT K. BANSAL DIRECTOR

### Appendix 1 FILING NOTIFICATION BASED ON MOTORCHCYLES – FOUR-STOKE CYCLE GASOLINE ENGINE OILS (JASO T 903:2011)

Date of Submission of Documents 12 /Day / August/Month /2016/ Year					
Submitter	Paras Lubricants	Contact person	Mr. Sushant Bansal		
·	Limited	Name			
Name of Person	Mr. Sushant Bansal	Position	Director Marketing		
Responsible for					
Documentation					
	ļ	Address	311-312, Manglam		
For PARAS LUBS	ICANTS LIMITED		Paradise, Plot No.8,		
Signature	Bans		Manglam Palce,		
	SUSHANT K. BANSAL DIRECTOR		Sector-3, Rohini, Delhi-		
	DIRECTOR		110085, INDIA		
•		Tel	011-47889999		
	Director Marketing				
Title	Director Marketing	Fax	011-47889921		
	,				

Motorcycle 4-Cycle Oil To be Filed					
Internal Product Name or No.	PALCO SOLITAIRE-20W40				
Trade Name	PALCO SOLITAIRE-20W40				
Viscosity Grade	20W40				
Performance Classification	MA MA1 (MA2) MB				
Oil Code Reference Number	M091PLL218				

Circle one of MA or MA1 or MA2 or MB

### 1. Quality on Engine Oil Specifications

Specifications	Categories
API	SG SH SJ SL SM(SN)
ILSAC	GF-1 GF-2 GF-3
ACEA	A1/B1 A3/B3 A3/B4 A5/B5 C2 C3 C4

Circle the performance category satisfied.

### SOLITAIRE-20W40

Physicochemical Properties							
item		Test Method		Measured			
		JIS K or JPI	ASTM	Value	Specification		
Density (at 15°C)		g/cm <sup>3</sup>	K 2249	D1298	0.874	Report	
Flash point		°C	K 2265	D92 or D93	235	Report	
Kinematic viscosity	(at 40	°C) mm²/s	K 2283	D445	112.8	Report	
Kinematic viscosity	(at 10	0°C) mm²/s	K 2283	D445	14.26	Note 1	
Viscosity index			K 2283	D2270	128	Report	
Low-temp. Vis. CCS	S(-15°0	C) mPa.s		D5293	4657	Note 1	
High-temp. High-sha Vis.(at 150 °C)	are rat	e mPa.s	JPI-5S-36-91	D4683	4.39	2.9 Min.	
Sulfated Ash		mass%	K 2272	D874	0.76	1.2 Max.	
Acid Number	,	mg KOH/g	K 2501	D664	2.96	Report	
Base Number (HClO <sub>4</sub> method) mg KOH/g		K 2501	D2896	7.76	Report		
Evaporative Loss mass%		JPI-5S-41-93	D5800	4.6	20 Max.		
Foaming Tendency (Tendency-Stability)	١	Seq.I Seq.II mL eq. III	K 2518	D892	NIL/NIL NIL/NIL NIL/NIL	10 Max Nil 50 Max Nil 10 Max Nil	
Shear Stability(by di injector method) (Kinematic Viscosity after the test, at 100 m	,	xW-30 xW-40 xW-50 Other grades	JPI-5S-29-88 (Note 2)	D6278	13.24	9.0 Min. 12.0 Min. 15.0 Min. Stay in grade	
Color (Visual inspec	,				Clear Golden Natural	Report	
	Calc		JPI-5S-38-92	D4951	0.007	Report	
	Bariu		JPI-5S-38-92	D4951	NIL ·	Report	
	Zinc	nesium	JPI-5S-38-92 JPI-5S-38-92	D4951 D4951	0.118 0.115	Report	
Elemental analysis mass %	Boron		JPI-5S-38-92	D4951	0.004	Report Report	
	Phosphorus		JPI-5S-38-92	D4951	0.089	≥0.08 ≥ 0.12	
	Nitrogen		K 2609-1990	D4629	0.062	Report	
	Sulfur		K 2541-1992	D2622	0.312	Report	
	Other elements > 100ppm (except carbon, hydrogen, and oxygen)				NIL	Report	
Infrared absorption spectrum analysis (0.1mm sealed absorption cell)		A4 Size IR Spectra attached		A4 Size IR chart to be			
(or man ocalea absorption cell)				attached			

NOTE 1 In accordance with Engine Oil Viscosity Classification, SAE J300. NOTE 2 Test shall be conducted under the standard test conditions (30 cycles).

### 3. Clutch Test Results of Friction properties (JAS T 903:2011)

Test	Evaluation Item	Test	Standard Index			
Method	Method Evaluation item		MA	MA2	MA1	MB
JASO T 903:2011	* DFI (Dynamic Friction Characteristic Index –DFI)	2.00	≥1.45 and <2.50	≥1.80 and <2.50	≥1.45 and <1.80	≥0.50 and <1.45
	* SFI (Static Friction Characteristic Index –SFI)	2.41	≥1.15 and <2.50	≥1.70 and <2.50	≥1.15 and <1.70	≥0.50 and <1.45
	* STI (Stop Time Index –STI)	2.03	≥1.55 and <2.50	≥1.90 and <2.50	≥1.55 and <1.90	≥0.50 and <1.55

We hereby warrant that the test results described in this document indicate typical figures of the motorcycle four-cycle oil concerned and representative performance of the product that will be marketed as such.

The test reports were prepared according to the format specified in the JASO Standard and the retained test reports are kept under our own responsibility. We herewith submit a representative example of performance classification marking and a copy of the label of the motorcycle 4-cycle oil concerned that will be used on containers and documentation.

#### Note:

- 1) Refer to the "MOTORCYCLES-FOUR-CYCLE GASOLINE ENGINE OILS (JASO T 903:2011) IMPLEMENTATION MANUAL" in filling in this form.
- 2) The current version of the JASO test procedure at the time of submission must be used to generate test data which are reported in the documents submitted.
- 3) The management fee is Yen 40,000 per submission. It should be paid into one of the following bank account, and a certificate of the payments should be attached to the documents being submitted to the JASO Engine Oil Standards Implementation Panel.

Appointed Bank: Funabashi Branch

Of the Sumitomo Mitsui Banking Corporation

Account No.:

Ordinary Deposit #6359999

Owner of the Account:

The Japan Lubricating Oil Society

Or

Appointed Bank Funabashi Branch

of the Tokyo-Mitsubishi UFJ. Ltd.

Ordinary Deposit #1036018

Owner of the Account:

The Japan Lubricating Oil Society

4) In the case where a false report is made, and labelling of the performance of a product and sales were made based on such a report, the company concerned may be penalized under the Act against Unjustifiable Premiums and Misleading Representations of Japan, Article 4, Item 1 or the Unfair Competition Prevention Laws of Japan, Article 2, item 10, or any other equivalent laws in the country in which the products is marketed.